


**GLOBAL FILTRATION CLEAN  
TECHNOLOGY (I) PVT. LTD.**



# **DEEP PLEAT HEPA / ULPAM**

**High Efficiency Particulate Air Filters**



**Clean Air Is Our Business**



## High Efficiency Particulate Air Filters

Electronics

Pharmaceutical process

Hospitals

Laboratories

Food Processing

HVAC application

DEEP pleat HEPA and ULPA filters are handling turbulent air flow in various application such as clean room, pharma & HVAC . These type of filters are controlling higher contamination & providing good efficiency

Global HEPA filters is having a broader selection of efficiencies, cell side materials and configurations, and separator designs and bonds .

Global Hepa filters are available to meet all performance standards as per DIN 24.184 .

Type A Minimum efficiency of 99.97% on 0.3  $\mu\text{m}$  at rated flow.

Type B Minimum efficiency of 99.97% on 0.3  $\mu\text{m}$  at 100% and 20% of rated flow.

Type C Minimum efficiency of 99.99% on 0.3  $\mu\text{m}$  and scan tested.

Type D Minimum efficiency of 99.99% on 0.3  $\mu\text{m}$  and scan tested.

### Guaranteed Performance:

Every Hepa filter is individually tested before leave from the factory .

The actual test data is indicated on the label. Each filter is also assigned a serial number and a permanent record is kept of the materials of construction and performance.

Factory & Sales Office: No: 254 A-1, Shed No:1, 3rd Phase, Bommasandra Industrial Area, 560099


Web site: [www.globalfiltration.in](http://www.globalfiltration.in) | E-Mail ID: [info@globalfiltration.in](mailto:info@globalfiltration.in) |

Landline: 080- 27834462 | Mob: 09480016332



# High Efficiency Particulate Air Filters

Y-axis



Filter size	Rated air flow/CFM	Delta P
610x610x292mm	1000	250 pa
610x305x292mm	500	250 pa
305x305x292mm	250	250 pa
610x610x292mm	2000	320 pa
610x305x292mm	1000	320 pa
305x305x292mm	500	320 pa
610x610x150mm	500	250 pa
610x305x150mm	250	250 pa
305x305x150mm	125	250 pa
610x610x150mm	1000	320 pa
610x305x150mm	500	320 pa
305x305x150mm	250	320 pa

Factory & Sales Office: No: 254 A-1, Shed No:1, 3rd Phase, Bommasandra Industrial Area, 560099

Web site: [www.globalfiltration.in](http://www.globalfiltration.in) | E-Mail ID: [info@globalfiltration.in](mailto:info@globalfiltration.in) |

Landline: 080- 27834462 | Mob: 09480016332